



TABLES FITTINGS AND ACCESSORIES



Furniture Fittings - Tables

NEW FOLDING SHELF SUPPORT

Our new simple but effective shelf support is high on performance and low on cost. Available in 3 sizes and 2 colours. Simple locking and folding action provides an easy to use strong and effective support to add worktop extensions or small tables. Size A open. Size B closed 35 mm.

- FSS6200BR** Folding shelf support 200mm brown
- FSS6200BL** Folding shelf support 200mm black
- FSS6300BR** Folding shelf support 300mm brown
- FSS6300BL** Folding shelf support 300mm black
- FSS6400BR** Folding shelf support 400mm brown
- FSS6400BL** Folding shelf support 400mm black



NEW SELF LOCKING SHELF SUPPORT

New automatic locking shelf support, lift up and it clicks into position. To lower just lift the front lever to release lock and lower it down.

- FSB1851BL** 185mm Self Locking Shelf Support
- FSB2852BL** 285mm Self Locking Shelf Support
- FSB3403BL** 340mm Self Locking Shelf Support




SWING OUT FLAP SUPPORT

- B6302BG** Swing out, flap support bracket

TABLE HOOK

Nylon fitting allowing one end of small tables to be attached to wall. Table will also require a table leg. Colour available BR= Brown


- TF3001BR** Neat and effective table hook.



FOLDING FLAP/ SHELF SUPPORTS

The new supports for drop leaf shelves provide valuable worktop space. While being easily folded away.

- TSMN345** 345 mm folding flap support mechanism
- TSMN445** 445 mm folding flap support mechanism
- TSMN8098** Heavy duty folding shelf support mechanism
- TSMN30500** Very strong 3 part folding support mechanism



TSMN30500



TSMN445

TSMN345

TSMN8098

FOLDING SPRUNG FLAP SUPPORTS.

Easy to operate spring lock location of support arm. Made from strong pressed steel, zinc plated and passivated.

- TSMN250** 250mm folding sprung flap support mechanism
- TSMN380** 380mm long folding flap support



TSMN250

Simple version PMT allows table to be rotated 360 degrees and locked in position. The top allows table to be slid long ways 25cm and width ways 14cm. Black coated steel.



FIXED POLE HEAVY DUTY TABLE SUPPORT

Fixed table support is manufactured from a zinc plated core with an outer grey plastic tubular cover for a smart installed appearance. Fixed table height 720mm.

Available with version PMT sliding top frame.

- TSL612400PMT** Fixed table support top version PMT



TVSV5



TSL612400PMT

NEW LCD TV WALL MOUNTS

The Svensen **TVSV5** Quick Release Wall Mount is a secure mounting point for your flat screen television. The mount supports 10" to 23" screens up to 25Kgs.

NEW UNDERSHELF TV MOUNT

The Svensen **TVSV6** Undershef Bracket is a sturdy, easy to install mount for your LCD or LED TV. Its fold-away arm conceals the display beneath your cabinet until you want to use it. An integrated swivel mount allows you to rotate the screen for easy viewing from any angle.

NEW ADJUSTABLE SWING ARM TV MOUNTS

The Svensen Adjustable Swing Arm is a sturdy, easy to install mount for your LCD or LED TV. A built-in spirit level and simple 3-point wall mounting makes fitting the arm easy. The slide-in TV attachment can be locked for security and allows quick screen removal without tools.

- TVSV7** Short Adjustable Swing Arm
- TVSV8** Single Adjustable Swing Arm
- TVSV9** Double Adjustable Swing Arm



TVSV7

TVSV8

TVSV9

LCD TV / MONITOR MOUNTING BRACKET

Our LCD wall-mounting bracket permits the wall-mounted installation of LCD TV'S in Motorhomes, Caravans & Specialist Vehicles. It is ideal for wall mounting computer monitors in mobile offices, hospitality units and TV broadcast units.

- FPORTVL** LCD TV wall mounting bracket

Swing out arm LCD TV mount. Swing out has lock points at stowed and 90 degree open, additional positions can be cut into runner for precise positioning. Dual direction adjustment on LCD TV mounting plate. Fixing bracket 180mm H x 80mm. Arm pivot 220mm centres.

- FPORTV09** Swing out arm LCD TV wall mount



FPORTVL

FPORTV09

WE NOW OFFER INSTALLATION SERVICE




TABLES FITTINGS AND ACCESSORIES



Furniture Fittings - Tables



TSCNAUT



TELESCOPIC ISLAND TABLE POLE

New smart & stylish table support raises and lowers to suit height required. Strong marine grade castings top and bottom for strength. Matt anodised aluminium pole provides a quality finish to the leg. Table can be positioned at any height with the clamp knob. The mounting bases are 220mm Ø with recessed fixing holes providing a very sturdy table. The table pole has a maximum height of 760mm. Its height with the pole retracted to touch floor surface is 500mm. The table pole is designed to retract into a hole through the floor, where it is fitted with this hole the pole will retract to 362mm high, the pole will project through the floor 138mm.

TSCNAUT TELESCOPIC ISLAND TABLE POLE

TS2000



HOOK 'N' LOCK 2000 TABLE FIXING PROFILE


New variation on hook 'n' lock with aluminium profile fixed to wall and clip on moulded ABS table plate (black) with locking location catch.

TS2000 Profiled aluminium table wall mounting bracket

MULTI POSITION OFFSET SWIVEL TABLE LEG

Designed to fix into wall mounted clamp bracket, table fixed to top swivel plate locking clamp locks table in any position. The right-angled leg is made from 35mm dia tube & is fully removable for extra space. Table is widely used on German campers. The leg is available Zinc plated only.

- TSSVGIR** Multi position offset swivel table leg complete
- TSSVGFB** Spare floor bracket for offset swivel table leg
- TSSVGWC** Spare wall clamp for offset swivel table leg
- TSSVGT** Spare table top mounting plate



TSSVGIR

FREE STANDING LOWERING TABLE FRAME

Complete portable freestanding table support with height adjusting Folding action. This enables the table to be used as a normal height Dining table or lowered to support a bed or act as a coffee table. Being completely portable it can also be used outside. (Colour brown) New narrow version 620mm wide for the smaller conversion space. Max height 655-> 695mm, minimum height 300 -> 340mm.

- TSFSARB62** Free standing lowering table frame 620mm wide
- TSFSARB76** Free standing lowering table frame 760mm wide

TELESCOPIC ELECTRICALLY OPERATED TABLE SUPPORT


Telescopic table support is manufactured in steel with a stylish moulded plastic nesting skirt to hide mechanism. The table is powered by a 12v electric actuator controlled by remote wall switch which is supplied in kit. Table support is supplied complete with 2 way sliding mechanism for precise positioning of table top. (Table top is not supplied only fitted for photo demonstration) Height of leg max 720mm min 330mm

- TSE612300TA** Telescopic electric table support grey top A
- TSE612300TB** Telescopic electric table support grey top B width ways.

TELESCOPIC GAS STRUT OPERATED TABLE SUPPORT

Telescopic table support is designed to automatically raise from low to high by the press of the foot operated button on the floor base. Table locks in upper position until foot operated button is pressed to release lock. Hole in floor 100mm dia by 40mm deep for base of mechanism to fit into floor. Max frame height 765mm min height 345mm.

- TSM612500TA** Gas strut operated table support top version A
- TSM612500TB** Gas strut operated table support top version B



TSFSARB76



TSCR

SLIDING SUPPORTS FOR DROP LEAF TABLE TOPS

The sliding supports allow drop leaf tables to be used, freeing up valuable storage space. Can also be fitted inside a cupboard to pull out and support a fold over worktop.

- TSCR250** 250 mm sliding support 150 mm of slide
- TSCR300** 300 mm sliding support 200 mm of slide
- TSCR350** 350 mm sliding support 250 mm of slide

HIGH SPEC FIXED, MANUAL & ELECTRIC TABLE SUPPORTS

Top slides pictured below are only supplied as part of the table kits left.

TABLE SLIDE TOP FRAME VERSIONS

Traversing positioning slide frame can be locked in any position it is slid to by means of tightening clamp levers on the slides. Available in 2 versions.

Version A allows table to be located on centre plate in 4 positions before it is bolted on. High quality aluminium slide rails allow positioning of table with ease. The slide mechanism allows 0 – 36cm slide able long ways and 0 to 17cm slide able width ways.

Version B allows table to be rotated fully 360 degrees and used in any positions by means of a swivel plate mechanism similar to a set swivel plate. It is lockable in 4 positions. High quality aluminium slide rails also allow positioning of table with ease. The slide mechanism allows 0 – 36cm slide able long ways and 0 to 17cm slide able width ways.


TSM612500



TSM612300 IN LOWERED POSITION



Version A



Version B

WE NOW OFFER INSTALLATION SERVICE



0844 414 2324



0844 414 2425



TABLE FITTINGS & ACCESSORIES







Furniture Fittings - Tables

THE HOOK N' LOCK TABLE WALL SLIDE BAR.

LOCKED TRAVELLING POSITION

OPTIONAL POSITIONS

DISMOUNTED




The hook n' lock is designed to firmly fix table to sidewall, while allowing lateral movement when unlocked, to make access to bed boxes easier, simply press down on central lock arm to release lock and slide table away without disturbing items on top of the table. Designed to complement our swing n' lock folding table leg to make up table. Securely anchors table for traveling and use while allowing the flexibility of position.

- TS950** Hook n' lock table slide bar 950mm long kit
- TS1BK** Spare set of table fixings to add alternative table to hook n' lock


ISLAND LEGS

Range of island table legs and fittings to make strong tables. Tabletop can be used and fitted 360 degrees. A single leg will suffice for tables up to 20 inches square. For the larger table 20 x 24 inches upwards a pair of legs must be used. Available as individual components or as sets see price list for details. Colour options: Add B to end of code for Brown, BL for Black & C for chrome legs and polished aluminium bases. . Stainless Steel 700mm legs only available as sets, 355mm leg sold singly.

- TS14SS** Island table leg 14" (355mm) (STAINLESS ONLY) For bed support
- TS126** Island table leg 26" (660mm)
- TS128** Island table leg 28" (710mm) (700mm Chrome)
- TSBAF** Above floor base
- TSBRC** Recessed base
- TSSET26B** Set of 660mm 26" island leg, above floor & recessed base BROWN
- TSSET28B** Set of 710mm 28" island leg, above floor & recessed base BROWN
- TSSET26BL** Set of 660mm 26" island leg, above floor & recessed base BLACK
- TSSET28BL** Set of 710mm 28" island leg, above floor & recessed base BLACK
- TSSET28C** Set of 700mm 27 1/2" CHROME island leg, above floor & recessed base
- TSSET28SS** Set of 700mm 28" Stainless Steel island leg, H Duty Cast Ali above floor & recessed base



TS950



ISLAND LEGS

SWING N' LOCK FOLDING TABLE LEG

Robust folding table leg can be used in many applications used in pairs to make a free standing table or use with hook n' lock table slide to make variable position table.

Colour options: Add B to end of code for Brown or add G for Grey or SS for Silver Sand


- TS1F26-** Swing n' lock folding table leg 660 mm
- TS1F28-** Swing n' lock folding table leg 710 mm

LIGHTWEIGHT FOLDING TABLE LEGS

High quality oval aluminium tube table legs. Lightweight and strong modern design. Innovative knuckle hinge for strength and reliability. 50mm x 25mm oval tube 715mm high. Kneeling height 325mm is used to make up bed base. New version with base bar to add further stability to tables over 600mm wide

- TS8350B** Kneeling half folding table leg brown
- TS8350G** Kneeling half folding table leg grey
- TS8376G** Kneeling half folding + base bar table leg grey
- TS8050B** Full folding table leg brown
- TS8050G** Full folding table leg grey
- TS8076G** Half folding table leg black + base bar with wheels for easy Movement of table along Hook N' lock or TS2000 table bar.

SWING 'N' LOCK



SWING 'N' LOCK

BIFOLD N' LOCK FOLDING TABLE LEG

Robust BI folding table leg can be used in many applications used in pairs to make a free standing table or use with hook n' lock table slide to make variable position table. Leg when folded reduces in size in a scissor action to allow smaller table tops and reduced storage space requirements Colour Black.



- TS1F650K** Bifold n' lock folding table leg 650 mm



TS8050

TS8350

LIGHTWEIGHT FOLDING TABLE LEGS



TS8376

715mm