



# THETFORD & DOMETIC CHEMICALS



Toilets & Chemicals

## SANITATION CHEMICALS RANGE

To ensure the efficient operation of your mobile toilet system, it is necessary to use toilet additives. There are additives for the waste holding tank, for the flush water tank and there are maintenance products.

### FLUSHWATER ADDITIVES

Flush water tank additive keeps the water 'fresh', ensures a smoother, better flush and leaves a protective film in the toilet bowl.

- TLT079 THETFORD AQUA RINSE 1.5 L PINK
- TLDEC15P DOMETIC EXTRACARE PINK 1.5 LTR LIQUID

### TOILET WASTE HOLDING TANK ADDITIVES

Waste holding tank additives reduce unpleasant odours and gas build-up, break down waste matter and prevent clogging. They also prevent deposits from sticking to the inside of waste tanks. Toilet additives are necessary to make mobile sanitation systems work trouble free.

- TLT072 THETFORD AQUAKEM GREEN 1.5 LTR LIQUID
- TLT073 THETFORD AQUAKEM BLUE 1 LTR LIQUID
- TLT074 THETFORD AQUAKEM BLUE 2 LTR LIQUID
- TLT080 THETFORD AQUAKEM BLUE SACHETS 1 TUB OF 15 SACHETS

- TLDSC15G DOMETIC SPECIALCARE ECO GREEN 1.5 LTR LIQUID
- TLDPC15B DOMETIC POWERCARE BLUE 1.5 LTR LIQUID
- TLDPC15B DOMETIC POWERCARE TABS 16 1 DOSE TABLETS

### TOILET ROLL

Specially formulated toilet tissue to break down quickly in the holding tank. Use of domestic multi layer tissue will clog your toilet mechanism as it takes a considerable time to dissolve and break down.

- TLT070 THETFORD AQUA SOFT PACK OF 4 ROLLS
- TLDCC DOMETIC COMFORTCARE LOO ROLL (Pk2)

### GREY WASTE TANK FRESHNER

Thetford Tank Freshener is an effective additive for the grey water tank. The grey water tank holds shower, washbasin and kitchen wastewater. After a while deposits build up in the grey water tank resulting in unpleasant smells. To combat this, Thetford Tank Freshener can simply be added directly into sink or shower drain, guaranteeing a fresh and clean grey water tank. Pleasantly pine-scented.

- TLFR15 THETFORD TANK FRESHENER FOR GREY WASTE TANKS 1.5 L bottle

### MAINTENANCE PRODUCTS

- TLSLUB THETFORD SEAL LUBRICANT 200-ml aerosol (C)  
Thetford seal lubricant specially developed for lubricating door and toilet seals, locks, hinges, awning rails, bicycles, etc. It also ensures a smooth operation of your toilet valve blade. 200-ml aerosol
- TLPLSY THETFORD BATHROOM CLEANER PLASTIC SPRAY (F)  
Thetford plastic cleaner is active foam for easy, safe and thorough cleaning of all plastic surfaces in caravans and motorhomes. The active foam removes hard water stains and ensures perfect hygiene and a brilliant shine. 500-ml trigger spray.

- TLCBCL THETFORD TOILET BOWL CLEANER 750ml
- TLDQC DOMETIC QUALITYCARE BOWL CLEANER 473ml  
A plastic and ceramic safe cleaning agent for the toilet bowl of mobile toilets that will not destroy the seals like bleach based cleaners. Unique descaling qualities, easily removes soil & scale deposits, prevents growth of soil leaving a beautiful shine & brilliance. Thick concentrated formula coats the bowl for better cleaning, targets hard to reach areas of the bowl, leaving a fresh scent.

- TLCBTC THETFORD CASSETTE BASE TANK CLEANER
- TLDTC DOMETIC TANKCARE 475ml  
A cassette tank cleaner will clean and maintain the waste tank of your cassette or portable toilet, removing organic & inorganic scale from tank and mechanism.

### Blue Bio

Blue BIO is a new generation portable toilet fluid that works through NATURAL BIOLOGICAL ACTIVITY (enzymes). As a result, it's safe to use and harmless to humans, pets and wildlife. 2in1 - Toilet, Waste & Flush Tank Additive. Up to 50 doses in a 1 Litre bottle! Up to 33 doses if used in both the waste & flush tank. Blue BIO enzyme bacteria work with the natural bacteria present in sewage to accelerate the NATURAL breakdown /degradation of waste

- TLTBIO BLUE BIO 1 LITRE BOTTLE



### CAKTSC100 NEW TANKKLEEN FRESH TANK CLEANER STERILISER.

Tankkleen is the only product we recommend for cleaning C.A.K. Tanks and water systems. It is very safe and leaves no after taste as it is used also for cleaning winemaking equipment. Do not be tempted to use chlorine based cleaners as they will attack piping and other plastics leaving a nasty medical taste.




0844 414 2324




0844 414 2425




## ACCESSORIES FOR AQUA MAGIC, MKIV, MKV STARLITE, ELECTRA MAGIC & BRAVURA



- 1 **1659** BOND ON ADAPTOR TANK TO EZ-VALVE
- 2 **1959** THREAD ON ADAPTOR EZ-VALVE
- 4 **4100** EXTENSION HANDLE 10" FOR 08707
- 5 **8707** 2X SLIDE EZ-VALVE REQUIRES 4100
- 6 **8706** 2H SLIDE EZ VALVE STANDARD VALVE
- 8737** SLIDE VALVE TO ADAPTOR SCREWS
- 1457** ADAPTOR SEAL BOND ON SLIDE VALVE



- 7 **1665** CURVED HOSE BAYONET ADAPTOR
- 8 **1952** DOUBLE ENTRY COLLECTOR
- 9 **2593** BUMPER HOSE BAYONET ADAPTOR
- 10 **1639** BAYONET RING
- 11 **1664** BAYONET CAP
- H7S** 3" FLEXI DISCHARGE HOSE / MTR (See P24)
- H7FL** 3" LAYFLAT DISCHARGE HOSE / MTR (See P20)



- 12 **8648** MALE THREADED 3" PIPE 10"
- 13 **8529** MALE THREADED 3" PIPE 8"
- 14 **2621** CLOSET FLOOR FLANGE FEMALE THREAD
- 15 **2620** CLOSET FLOOR FLANGE MALE THREAD
- 16 **7580** CLOSET FLOOR FLANGE PLAIN (NPT)
- HC7** 3" HOSE CLIP FOR H7S DISCHARGE HOSE (See P24)

### AQUA MAGIC V

The NEW Aqua Magic V is a modern, economical model that is easy to install and is operated by one two stage lever at the top of the toilet. This toilet can be supplied in two heights. In the case of the high model the waste tank is installed under the floor, and with the low model it is installed above the floor when used in boats.

Features:

- \* Finish: white
- \* Hook-up to vehicles central water tank: yes
- \* Hand operated by a 2 stage lever
- \* Better flush – full bowl coverage
- \* Waste tank capacity: dependent upon vehicle
- \* Flush water tank capacity: dependent upon vehicle
- \* Depth 455mm x Width 383mm x Height 5L 329mm, 5H 445mm

**TLTAM5L** Aqua magic V low hand lever operated white

**TLTAM5H** Aqua magic V high hand lever operated white



**MKV HIGH**

**MKV LOW**



**BRAVURA**

### BRAVURA


The Bravura is a floor mounted, fresh water-flush toilet. Flush water for the Bravura is drawn from an independent pressurised water supply. Waste is released into a permanent holding tank, which is installed below the floor, and is drained off outside the caravan or motorhome with the slide valve. Low model suitable for boats with above floor holding tank.

Features:

- \* Finish: white
- \* Hook-up to vehicles central water tank: yes
- \* Convenient single-foot-pedal operation
- \* Powerful pulsating flush with full bowl coverage
- \* Comfortable seat and height
- \* Deep bowl so less splashing
- \* Stylish design and smooth surface allowing easy cleaning
- \* Easy installation and access of parts
- \* Available in high and low profiles

**TLTAMBL** Aqua magic Bravura low pedal operated white

**TLTAMBH** Aqua magic Bravura high pedal operated white



**ELECTRA MAGIC**

### ELECTRA MAGIC

This is a recirculating toilet suitable for buses and touring units. A silent toilet that never gets blocked. This model does not require a separate waste holding tank nor a connection to a water supply line. The toilet is charged with clean water and toilet additive. The pump recycles the fluid and solids are collected by a double filter system. The double filter system takes away any risk of obstruction. An easy to read level indicator signals the initial charge level and warns when the waste tank is almost full. A valve underneath the toilet is opened to evacuate the waste into a holding tank, and the process starts again. The tank is then emptied at an authorised disposal point. Toilet can be operated on its own capacity without a holding tank if the installation need require this.

Features:


- \* Finish: parchment
- \* Flush: electric (24Volt) (12 volt motor conversion kit available)
- \* Initial charge volume (fresh water + toilet additive): 9,2 L
- \* Waste capacity: 14,3L
- \* Total unit capacity: 23,5L

**TLTEMAG** Electra magic recirculating 24 v

### PERMANENT TOILET DISCHARGE HOLDING TANKS


Toilet discharge holding tanks are available from our vast range of standard sizes. See tank illustrations at beginning of catalogue. A simple installation scheme drawing is published here, see right. Technical and system design advice available. Full range of Thetford spares and accessories supported.

### WE ARE THETFORD'S PREMIER SPARES & SERVICE CENTRE. WE ARE ABLE TO SUPPLY ANY THETFORD SPARE PART THAT IS CURRENTLY AVAILABLE & QUITE A RANGE OF OBSOLETE PARTS. WE HAVE THE FACILITIES TO INSTALL SERVICE AND REPAIR THE FULL THETFORD PRODUCT RANGE.




### AQUA MAGIC STARLITE BRAVURA OR AQUA MAGIC V

MPT flange **2620**  
FPT FLANGE **2621**



**WE NOW OFFER INSTALLATION SERVICE**



# THETFORD TOILETS



## PORTA POTTI 335

## PORTA POTTI 345

## PORTA POTTI 365/465 ELECTRIC



The world's leading freshwater flushing portable toilet is now even better. Thetford's new Porta Potti range offers, as standard features, a unique waste level indicator, a new "push connect snap-lock" system allows the water and waste holding tanks to be connected and taken apart easier than before. Powerful fresh water flush cleans toilet bowl effectively.

The Thetford Porta Potti 465 Electric introduces the luxury of an electric flush, from the on board battery pack (500 flush capacity), with a precision flushing action that conserves water. Every model also has the build-quality, durability and sheer class that make the Porta Potti the portable toilet more campers, caravanners, boat owners and domestic users choose first worldwide.

All Thetford Porta Potti and Cassette toilets have the unique swiveling pour out spout system and pressure release button for splash free emptying.



### CASSETTE C-200 SWIVEL BOWL

The elegant, domestic bathroom style bowl of the Thetford Cassette C-200 can be swiveled through 180 degrees on its pedestal locking securely at any stage the user chooses. So the toilet can be fitted freestanding against any single wall in the vehicle bathroom area. And the bowl can be swiveled away after use to liberate space. An led signal that lights automatically when the holding tank is nearly full, and a contoured shape that shrugs off shower water are amongst other unique features. **C200CS** uses water directly from the fresh cold water supply system in the vehicle. Suitable for pressurised and microswitched systems. **C200CW** uses water manually pumped from its built in fresh water tank within toilet. Toilet requires a waterfill door installed on outside in addition to door used for cassette base tank removal. **C200CWE** has similar features to the C200CW with the addition of touch button electric flush. **23786** - Optional outside vent kit for C200.

- TLTC200CS** CASSETTE C200CS DIRECT ELECTRIC WHITE + DOOR 3
- TLTC200CW** CASSETTE C200CW MANUAL WHITE + WATERFILL & DOOR 3
- TLTC200CWE** CASSETTE C200CWE ELECTRIC WHITE + WATERFILL & DOOR 3

### SPARE CASSETTE BASE TANKS

All our base tanks are new original products from Thetford. They will come correctly handed as per your ordered hand. You will not need to modify or dismantle them; they will glide straight in ready for use. To identify the handing of your required base tank, it is handed by describing the end of the toilet where the door is to remove the cassette. **This handing is described as seated on the toilet NOT AS LOOKING AT IT.** This does not apply to the C200 & C250 swivel bowl units as their base tanks only slide in one way. You can identify which model toilet you have by locating the silver and blue Thetford serial number label just inside the door end of the toilet.

### C200 SWIVEL BOWL SPARE BASE TANK

Spare base tank for C200 series swivel bowl all models. Picture A.

**TLTC200BTANK** C200 base tank complete

### NEW C250 SWIVEL BOWL SPARE BASE TANK

Spare base tank for New C250 series swivel bowl all models. This model base tank is complete with wheels..

**TLTC250BTNK** C250 base tank complete (Wheeled model). Picture B.

### BASE TANK FOR C2, C3, C4 FIXED BOWL OLDER BENCH MODEL

This is the base tank for the older model bench toilet Picture C. Handing is identified as seated on the toilet.

**TLTC234BTNKL** C2, C3, C4 LEFT HAND BASE TANK. Picture D

**TLTC234BTNKR** C2, C3, C4 RIGHT HAND BASE TANK. Picture D



# THETFORD

PORTA POTTI SPECIFICATIONS				
MODEL	335	345	365	465
STOCK CODE WHITE	TLT335W	TLT345W	TLT365W	TLT465W
STOCK CODE GREY	N/A	TLT345G	TLT365G	TLT465G
FLUSH	MANUAL	MANUAL	MANUAL	ELECTRIC
WASTE TANK CAPACITY	10LTR	12LTR	21LTR	21LTR
FRESH WATER CAPACITY	10LTR	15LTR	15LTR	15LTR
HEIGHT	305mm	338mm	414mm	414mm
DEPTH	381mm	419mm	419mm	419mm
WIDTH	343mm	379mm	379mm	379mm



CASSETTE C200 CS



CASSETTE C200 CW, CWE

C200 CASSETTE SPECIFICATIONS			
MODEL	C200CW	C200CWE	C200CS
FLUSH	MANUAL	ELECTRIC	ELECTRIC
WASTE TANK CAPACITY	17LTR	17LTR	17LTR
FRESH WATER CAPACITY	7LTR	7LTR	DIRECT FLUSH
COLOUR	WHITE	WHITE	WHITE

WE ARE THETFORD'S PREMIER SPARES CENTRE. WE ARE ABLE TO SUPPLY ANY THETFORD SPARE PART THAT IS CURRENTLY AVAILABLE & QUITE A RANGE OF OBSOLETE PARTS.

**WE NOW OFFER INSTALLATION SERVICE**



0844 414 2324



0844 414 2425

## CASSETTE C400 RANGE

New elegantly designed bench model toilet for caravans and motorhomes. The award winning C400 range are elegantly designed toilets to match modern bathrooms.

Packed with innovative features such as the holding tank with wheels and a retractable carrying handle. Not as an option but standard on all C400 models. Stable thermoplastic rubber treaded wheels allow easy and reliable transport of the waste holding tank. Toilet waste holding tank transport with an ease never experienced before. The removable mechanism plate allows easy access to the waste holding tank inner for cleaning or service, a major feature of the C-400. No more fumbling in the dark! Comfortable seating position higher and deeper than models before, allowing for more comfort when in use. Plus more space for the feet due to the recessed base. Really practical in an often confined vehicle bathroom. The flowing curved shape allowing easy cleaning, leaving no dirt traps.

### C400 Range Key Features

- Finish: white (RAL 9003)
- Electric touch button flush (12V)
- Waste holding tank with integrated wheels
- Waste tank with handy extendable carry / pull handle
- Removable plate allows access to waste tank interior for easy cleaning and service
- Integrated pour-out-spout: no handling of separate parts that get dirty
- Waste tank vent button allowing splash free emptying
- Weight: 8,5 kg

### CONTESSA C400 TIP UP BASIN

The new tip up designed specially for installation above and behind the C400 range. The standard Contessa Cabinet (**VCTCABW**) mounts above the Contessa C400 Tip Up (**VCTIP400W**) in the usual way. See Page 60. C400 universal shower tray see page 62.

### Cassette C402C

The starter model in the range, the Cassette C402C toilet has an integrated freshwater tank, powerful touch button electric flush and single led high level indicator for waste holding tank only. Easy waste transport: holding tank on wheels! **Optional external vent.**

#### Features:

- LED display indicates fill level of waste tank
- Waste tank capacity: 19,3L
- Integral freshwater tank capacity: 15L

**TLTC402CL CASSETTE C402C LEFT HAND & DOOR 3**

**TLTC402CR CASSETTE C402C RIGHT HAND & DOOR 3**

### Cassette C402X

The Cassette C402X toilet has an integrated freshwater tank, powerful touch button electric flush and led level indicators for waste holding tank and flushwater tank. Easy waste transport: holding tank on wheels! A quick touch the flush button and the LED level indicator system displays how much capacity is still available in both flushwater tank and waste tank. **Optional external vent. This is our most popular C400.**

#### Features:

- LED display indicates fill level of waste tank and flush water tank in 3 steps
- Waste tank capacity: 19,3L
- Integral freshwater tank capacity: 15L

**TLTC402XLD3 CASSETTE C402X LEFT HAND & DOOR 3**

**TLTC402XRD3 CASSETTE C402X RIGHT HAND & DOOR 3**

### Cassette C403L

The Cassette C403L toilet hooks up to the central water tank of the vehicle. Touch button electric flush. Easy waste transport: holding tank on wheels! A quick touch the flush button and the LED level indicator system displays how much capacity is still available in the waste holding tank. **External venting of waste tank standard.**

#### Features:

- LED display indicates fill level of waste tank 3 steps
- Waste tank capacity: 19,3L
- No integrated freshwater tank. Toilet connected to central water system of caravan or motorhome. Direct flush.

**TLTC403LLD3 CASSETTE C403L LEFT HAND & DOOR 3**

**TLTC403LRD3 CASSETTE C403L RIGHT HAND & DOOR 3**

### SPARE BASE TANKS & ACCESSORIES

This is the base tank for the newer model C400 bench toilet as described above. Handling is identified as seated on the toilet.


**TLTC400BTANKL C400 LEFT HAND BASE TANK**  
(Wheeled model)

**TLTC400BTANKR C400 RIGHT HAND BASE TANK**  
(Wheeled model)

**TLTC400VENT C400 THRU FLOOR OUTSIDE VENT**



**SPARE BASE TANKS AVAILABLE**



**WE CAN SUPPLY ANY THETFORD SPARE PART THAT IS AVAILABLE**



# THETFORD & DOMETIC CASSETTES & SOG SYSTEM



Thetford Toilets

## NEW THETFORD CASSETTE C250

The latest member of the Cassette Toilet family is the C-250. With its 180 degree revolving toilet bowl, the C-250 has several exciting new, improved features and a contemporary design.

IMPROVED FEATURES INCLUDE • Enhanced seating comfort: the toilet bowl width and depth have been adjusted to provide maximum comfort. • A waste-holding tank (17.5L) on wheels with a pull-out handle. • A user-friendly control panel. C250CWE with integrated 8 L flush water tank. Complete with Thetford Door 3 in kit.

BUT THERE'S MORE... THE C-250 CAN BE UPGRADED WITH VARIOUS OPTIONS (SEE RIGHT) AT ANY TIME

- TLTC250CS** C250CS DRAWS FLUSH WATER FROM ONBOARD PUMPED WATER SYSTEM
- TLTC250CWE** C250CWE ELECTRIC FLUSH FROM INTEGRATED FLUSH WATER
- TLTC250CSC** C250CS CERAMIC BOWL DRAWS FLUSH WATER FROM ONBOARD PUMPED WATER SYSTEM
- TLTC250CWEC** C250CWE CERAMIC BOWL ELECTRIC FLUSH FROM INTEGRATED FLUSH WATER



TLTC250CWE

## C250 OPTIONAL UPGRADE KITS



TLTC250AFV Automatic fan vent upgrade



TLTC250CBFILT Spare carbon filter for C250AFV

## DOMETIC 966 TOILET

Full size seat & lid for comfort & support. Sturdy construction-one piece tanks won't leak. Bellows flush 9.8 ltr fresh water capacity. 19 ltr holding tank capacity. Size 394H x 368W x 419D DPT966



DPT966

## NEW DOMETIC CT3000 CASSETTE

CT 3000 series with ceramic inlay New toilet bowl design with scratch resistant ceramic inlay, stain-repellent and easy to clean. Comfortable and aesthetically pleasing, Innovative space-saving seat concept: 8 cm less depth than comparable products. The seat can also be adjusted [in 15° steps] up to 90° in both directions. More room in the bathroom. This gives more flexibility in confined spaces. Cassette tank [19 L] with telescopic handle and large, easy-running wheels for convenient transport to the disposal area. Pivoting spout facilitates tank discharge. Control panel with level indicator light warns you in good time before the tank level reaches the maximum level. Visual warning signal when the tank has been removed



CT3000 series

For vehicles without water supply the CTW 3110 toilet is supplied with an integrated flush water tank. The tank has a capacity of 7 litres and is easy to fill. Low in weight Weighs up to 30 % less than a ceramic toilet. Dometic SK5 locker door supplied as standard with each CT 3000-series toilet. Dimensions [ W x H x D ] 382 x 672 x 500 mm . Waste tank capacity 19 litres. 12v DC.

- DCTS3110** CTS is designed for connection to onboard pumped water system.
- DCTW3110** CTW has integrated 7 litre flush water tank with pump
- DCT3110SBT** SPARE CASSETTE BASE TANK

## CT 3000 series: prepared for SOG exhaust system

Unpleasant odours can easily become a problem in the small sanitary cabin of a campervan. This problem is efficiently solved with the SOG toilet ventilation system. It provides cleaner, fresher air by exhausting odorous gases to the outside via flexible tubing. Both CT 3000 models are prepared for installation of the SOG system so that it can be retrofitted with ease.

## SOG SYSTEM – Chemical free operation of your toilet system

The SOG toilet ventilation kit converts your Thetford toilet into a chemical-free system which is not only a completely green solution but also banishes smells from the interior of your unit. No chemical smells and no smells from waste matter, even during use of the toilet. Toilet chemicals are no longer necessary and optimal decomposition is guaranteed by the increased flow of Oxygen. You can also use ordinary toilet paper. Supplied as a very simple diy-fit kit.



SOGD for toilets C400



SOGF for toilets C250



SOGA for toilets C2 C3 C4



SOGB for toilets C200



SOG3000A for Dometic CT 3000



SOGPERM for PERMANENT FIXED HOLDING TANKS

- SOGD65** For C400's with fluid store
- SOGD20** without fluid store

Spare SOG parts and additional connectors available from our stock contact us for further information  
**WE NOW OFFER INSTALLATION SERVICE**



0844 414 2324



0844 414 2425