



## ELEGANCE TAPS

Suitable for pressure or microswitch systems. Single taps base plate 113mm x 55mm (4 1/2" x 2 1/8") Mixer taps base plate 171mm x 62mm (6 3/4" x 2 1/2") Depth beneath surface 92 mm (3 5/8")

- WRT1007B** RT1000 white single tap long outlet
- WRT1010** RT1000 white single tap short Combo outlet
- WRT2010** RT2000 white mixer tap short Combo outlet
- WRT2007B** RT2007 white mixer tap long outlet

Microswitches need to be installed in taps where they are used to control non-automatic pumps, such as submersible pumps. Single tap requires one, a mixer tap 2 switches. When taps are used with fully automatic pumps such as Shurflo or universal pumps a microswitch is not required.

- WRT9000** Microswitch kit for elegance taps (pack of 2 switches)
- WRT1023B** Single control unit for elegance

## ELEGANCE SHOWERS

### FIXED SHOWERS

The **WRT2480B** Fixed shower is based on a mixer tap with a fixed flexible PVC hose and white combination shower head c/w matching single wall bracket. The shower is a fixed hose version of the standard white WRT2500 combo tap / shower below.

- WRT2480B** Mixer shower permanent shower & wall bracket white

### COMBINATION SHOWER / MIXER UNITS

**WRT2500** handset with shower, tap & on / off function control. Can be used in the washbasin as a tap or as a shower by using a wall bracket or riser bar. Water flow can be temporarily shut off on showerhead maintaining the temperature setting. Retracting hose allows dual use of combo showerhead as a basin mixer tap. WRT2500 combo tap/shower is suitable for installation in Contessa tip up sink see Page 64

- WRT2500** Mixer combo tap/ shower & wall bracket white
- WRT7500** Mixer combo tap/ shower & wall bracket beige
- WRT2525** Mixer combo with remote outlet white (to order only)

### ELEGANCE RISER BAR & WALL BRACKETS

Elegance Riser Bar provides 19 3/4" of height adjustment for combination handset showers. A wall bracket is a single point location fixture for a shower head it allows single alternative positions for the combo head.

- WRT1250** Shower wall bracket white
- WRT6250** Shower wall bracket beige
- WRT1750** Shower riser bar white
- WRT6750** Shower riser bar beige

### ELITE SINGLE LEVER TAPS

Single lever mixer tap with ceramic valves suitable for use on for pressurised or microswitch system. Suitable for direct fitting of 12mm Push-fit Piping, to fit 1/2" flexible PVC hose you will require 2 x WWU1282 adaptors. All Elite fitted with Microswitches. **Base diameter 58 mm, Hole diameter 48mm.**

- WMT0113** Elite single lever mixer tap chrome short spout
- WMT0111** Elite single-lever mixer tap chrome long spout
- WMT0161** Elite single-lever mixer tap diamond white long spout
- WMT0162** Retrofit plate White to fit Elite in place of Elegance

### ELITE SINGLE LEVER SHOWERS

Shower comes complete with shower hose and handset. Requires Elite riser bar to hold showerhead in position this must be ordered with shower. All Elite fitted with Microswitches so are suitable for pressurised or microswitch systems. Suitable for direct fitting of 12mm Push-fit Piping to control valve, to fit 1/2" flexible PVC hose you will require 3 x WWU1282 adaptors. Shower hose connection block requires adapter CM451214FS for 12mm Push-fit, & additionally 1 x WWU1282 for 1/2" flexible PVC hose. Base dia. 58 mm, Hole dia. 50 mm.

- WMT0140B** Elite single-lever mixer shower chrome
- WRT1780B** Elite shower riser bar chrome
- WRT1770B** Elite shower riser bar white

### SWIM 'N' RINSE EXTERNAL SHOWER

Built in exterior shower compartment. Attractive design adds a touch of luxury to any boat or motorhome. Unit has a hinged cover with lock, simple to install, 2.1 mtr hose (7 ft), On/off control on combo handset. Overall dimensions 167mm wide 298mm high. Colour white. BSP Male connections. Use SFELB050 Elbow or SFSTR050 Straight for PVC hose.

- WRT2662** Swim n' rinse external shower

### SIMPLE FAUCETS

**WFT1152** TELESCOPIC FAUCET WHITE for use with foot or electric pumps. Faucet can be pushed down to fit neatly under most folding worktops & swivels 360°.  
**WFT1268** TUCKAWAY FAUCET WHITE Fits into vertical side of sink or bowl, folding down into bowl when not in use. Faucet swivels 360°.

### SURGE DAMPER


Smooths water flow in the water system. Can reduce system noise and pulsations. Especially suitable for semi-rigid systems with submersible type pumps. It is a much-simplified version of an accumulator. Accumulators (see page 26) should be used with diaphragm pressure pumps to aid pressure switch control in the piping system, particularly when using push fit plumbing. Max 4 bar 60psi. Size L 213mm x Ø 50mm. Capacity ¼ pint.

- WWU7205** Surge damper 12mm push fit connection
- WWS7215** Surge damper 15mm push fit connection


### AQUASOURCE CLEAR INLINE WATER FILTER

Provides clear fresh drinking water by removing unpleasant tastes and smells. Contains silver activated carbon that inhibits bacterial growth. Slim & compact, easy to install. Lasts one full season or 4500 litres whichever comes first.


- WWF1230** Aquasource clear inline water filter 12mm
- WWF1530** Aquasource clear inline water filter 15mm



**ELEGANCE LONG MIXER**



**ELEGANCE COMBO SHOWER**



**ELEGANCE COMBO SHOWER**



**ELEGANCE SHORT SINGLE**



**ELITE TAPS**

Protected by hinged cover  
**SWIM 'N' RINSE**



**WWU7205/WWS7215 SURGE DAMPER**




**ELITE SHOWERS**



**WWF1230  
WWF1530**

**TELESCOPIC**

**TUCKAWAY**



### DLT539 TAP FOR SMEV 8000 SERIES

**DLT539** Single lever tap neat and compact styling. Comes in attractive colour of Matt Nickel and black trim. Good colour match to SMEV stainless range. Suitable for use with pressurised & micro switched water systems. Connections suitable for 12mm & 10mm (1/2" & 3/8") flexible PVC hose. This mixer tap will fit Smev 8000 series sinks. 25mm Hole cut out, spout length 85mm end to centre of tap.

**DLT539** Matt nickel single lever mixer tap for Smev 8000 series sinks

### DLT540 SINGLE TAPS AND DLT541 MIXER TAPS.

Modern good quality taps in a range of colours. Compact design allows them to be fitted in most situations. Suitable for pressurised & microswitched water systems. Connections suitable for 10mm (3/8") flexible PVC hose, for 12mm (1/2") flexible PVC hose you will require a **DLTBARB** for each water connection.

The **DLT541W** mixer in white is the only tap suitable to fit the Cleo tip up basin (see page 64)

The **DLT540C** Matt Nickel is the most popular single cold tap that will fit Smev 8000 series

**DLT540B** Single tap + microswitch colour Beige

**DLT540BR** Single tap + microswitch colour Brown

**DLT540W** Single tap + microswitch colour White

**DLT540C** Single tap + microswitch Matt Nickel effect

**DLT541B** Mixer tap + microswitch colour Beige

**DLT541W** Mixer tap + microswitch colour White

**DLT541C** Mixer tap + microswitch Matt Nickel effect

**DLTBARB** Adaptor for 540/ 541 range for 12mm (1/2") PVC hose

### EXTERNAL VERTICAL SHOWER UNIT

The external shower kit has a ceramic valve operated chromed brass mixer unit and a pull out shower with 2 metres of hose. Box requires cut out of 185mm x 108mm, Maximum wall thickness 40mm. Overall flange size 233mm x 153mm. Supplied with flexi tails 3/8" BSP male thread. Suitable for pressurised water systems only. Box only also available without shower kit.

**DLTEXVS** External vertical shower kit white

**DLTEHL** External housing only with lock

### MINI EXTERNAL PLUG IN SHOWER UNIT

The mini external shower kit has a quick connect plug in water valve. The trigger showerhead and its 2 metre hose simply plug in with a click. Housing cut out 59mm diameter, Flange diameter 82 mm. Suitable for pressurised water systems only. Box only also available without shower kit.

**DLTMES2W** Mini External plug in shower unit with 2 m hose

### EXTERIOR PULL OUT SHOWER UNIT

The new exterior pull out shower kit has a ceramic valve operated chromed brass mixer unit and a pull out shower with 2 metres of hose. Box requires cut out of 95mm diameter, Maximum wall thickness 70mm. Overall flange size 126mm x 132mm. Supplied with flexi tails 3/8" BSP male thread. Suitable for pressurised water systems only. Box only also available without shower kit.

**DLTEXS4** Exterior vertical shower kit 4 white

**DLTEH4** Exterior housing 4 only

### TRIGGER SHOWER HEADS

Replacement trigger shower head for better on-off control of showering at the head. Depress trigger and water will flow to suit, lift trigger up to lock at 90 degrees from body the shower will then be on all the time. Both have 1/2" male thread to easily connect to most shower hoses.

**DLTSHC** Spare Trigger head chrome 1/2" bsp male thread

**DLTSHW** Spare Trigger head white 1/2" bsp male thread

### THRU WALL OR COUNTERTOP SHOWER MIXERS

These new showers either fix through the mounting surface (**DLTSHMCC**) or mounts onto surface (**DLT3440C**). All connections, hot & cold in and mixed out, are behind the mixer control. This allows all the piping to be hidden within the wall or under the countertop. Use **DLTSWC** to connect the mixed output to the shower hose.

**DLTSHMCC** Thru wall shower control chrome (3 x 1/2" BSP female conn.)

**DLT3440C** Single lever under mixer control shower

**DLTSWC** Thru wall water connection for showers (3/8" male connection)

### SHOWER KIT

Chrome Shower head with Chrome hose 150cm long and fixed position shower wall holder. 3/8" BSP female connection.

**DLTSK3420C** Chrome shower kit, Handset, Hose & Fixed Bracket

On 3/8" BSP flexi tails use **BRF3812** brass female barbs to connect 1/2" PVC hose, or

**CM451213FS** to connect to 12mm push fit plumbing.

### EXTERNAL MIXER SHOWER POINT

The External Mixer Shower point comes complete with a Trigger Shower head assembly (shower fitting, 1.5m long shower hose and swivel control connector). Inserting the shower assembly, with a push and turn action, locks it in place and turns on the water. Temperature is adjusted by turning the connector assembly. 15mm male push fit connections on rear. Requires 60mm dia mounting hole

**DLTEXS688** External Mixer Shower Point, Trigger Handset & Hose

### AQUA-STOP WATER ECONOMISER FOR SHOWER HOSE

The Aqua-Stop connects between the shower hose and shower head of conventional 1/2" thread. With a simple push on off action to halt the water flow.

**DLTSTP150** Aqua-stop water shower economiser Chrome

### STOP WATER ECONOMISER FOR KITCHEN TAPS

The Stop water connects in place of the aerator in the end of the spout of modern taps. Any sideways contact with the wand allows water flow after contact it centres naturally to turn off.

**DLTSTP085** Stop Water kitchen tap economiser Chrome

### ANTI TWIST SHOWER HOSE SWIVEL UNION

Connects in shower hose to allow rotation of joint preventing hose knotting up.

**DLTDCC250** Anti twist shower hose swivel union Chrome



**DLT539 MIXER TAP**



**DLT 540 SINGLE TAPS**



**DLT 541 MIXER TAPS**



**DLTEXVS**



**DLT MES2W**



**DLTEXS4**



**DLTTSHC**



**DLTSHMCC**



**DLTTSHW**



**DLT3440C**

**DLTSK3420C**



**DLTSWC**



**DLTSTP150**



**DLTSTP085**



**DLTEXS88**



**DLTDCC250**

On 3/8" BSP flexi tails use BRF3812 brass female barbs to connect 1/2" PVC hose, or CM451213FS to connect to 12mm push fit plumbing.

**WE NOW OFFER INSTALLATION SERVICE**



**0844 414 2324**



**0844 414 2425**



# DELUXE TAPS & SHOWERS



## PELIKAN SINGLE LEVER TAP

The Pelikan is elegant and modern in style. A ceramic cartridge and the use of high-quality chromium plated plastic materials guarantee quality and durability. When necessary the cartridge can be exchanged without removing the tap. The spout is 360° making the tap easy to install and use. With a microswitch the tap is suitable for submersible pumps, the switch is completely waterproof to IP67, and has a capacity of 4 amps. When used with automatic pressure switched diaphragm pumps the tap is designed to cope with 6 bar pressure. Installation hole is 33mmØ. Spout length 140mm from centre of installation hole. Hose connections for 10-12mm PVC hoses. Chrome body with mat-chrome lever & spout tip. Pull out shower spout length 185mm.

- DLT5729** Pelikan single lever tap. Chrome/matt-chrome.
- DLT5728** Pelikan single lever pull out shower tap. Chrome/matt-chrome.

## TWIST SINGLE LEVER TAP

Single lever tap with neat and compact styling and ceramic cartridge for quality and reliability with ease of use. Comes in attractive colours of Matt Nickel with black trim or all chrome. Matt-nickel is a good colour match to Smev stainless range. Suitable for pressurised & microswitched water systems. Installation hole is 39mmØ. Spout length 120mm from centre of installation hole. Overall height of body 40mm. Connections suitable for 12mm & 10mm (1/2" & 3/8") flexible PVC hose. The Twist taps will not fit Smev 8000 series sinks.

- DLT575MN** Twist single lever mixer tap matt nickel
- DLT575C** Twist single lever mixer tap chrome

## KERAMIK STYLE SINGLE LEVER TAP

Very modern styled single lever tap with ceramic cartridge for quality and reliability with ease of use. Comes in attractive Matt Nickel colour. Suitable for pressurised & microswitched water systems. Installation hole is 33mmØ. Spout length 112mm from centre of installation hole. Overall height of body 40mm. Connections suitable for 12mm & 10mm (1/2" & 3/8") flexible PVC hose.

- DLT557MN** Keramik style single lever mixer tap matt nickel.

## LIVORNO PULL-OUT SHOWER TAP WITH TRIGGER HANDSET

A modern mixer tap to match Lugano & Carletta with retractable shower hose. A good choice for kitchen or bathrooms. Chrome brass construction, with trigger adjustable shut-off hand shower with 1.5m hose. Mounting hole 33mmØ, Use BRF3812 brass female barbs to connect 1/2" PVC hose, or CM451213FS to connect to 12mm push fit plumbing. Suitable for pressurised water systems only. The control knobs are chrome to match Lugano and not clear acrylic as pictured.

- DLT4343C** Livorno shower mixer, chrome body, chrome trigger shower
- DLT4344CW** Livorno shower mixer, chrome body, white trigger shower

## LUGANO MIXER TAP

Very smart high quality heavy gauge chromed brass monobloc mixer tap for long lasting style and reliability. Designed to match Carletta and Livorno models. Mounting hole 27mmØ, Use BRF3812 brass female barbs to connect 1/2" PVC hose, or CM451213FS to connect to 12mm push fit plumbing. Suitable for pressurised water systems only.

- DLT4213C** Lugano mixer tap chrome, 3/8" BSP female connection
- DLT4217SC** Lugano mixer tap satin chrome, 3/8" BSP female connection

## DUCALE SINGLE LEVER MIXER TAP

Modern single lever domestic style tap with swiveling spout. Single lever ceramic valves for ease of use and reliability. Mounting hole 27mmØ, Spout length 190mm, Use BRF3812 brass female barbs to connect 1/2" PVC hose, or CM451213FS to connect to 12mm push fit plumbing. Suitable for pressurised water systems only.

- DLT4502W** Ducale single lever mixer, white, 3/8" BSP male connection
- DLT4502C** Ducale single lever mixer, chrome, 3/8" BSP male connection
- DLT4502SC** Ducale single lever mixer, satin chrome, 3/8" BSP male connection

## ROMA SINGLE LEVER MIXER TAP (with microswitches)

Modern single lever domestic style tap with swiveling spout to similar style of Ducale and Elite. Single lever ceramic valve for ease of use and reliability. Mounting hole 33mmØ. Spout length long or short version. With hose barbs to connect 1/2" PVC hose, Suitable for microswitch or pressurised water systems. (Not pictured)

- DLT2751C** Roma single lever mixer, chrome effect, short spout
- DLT2771C** Roma single lever mixer, chrome effect, long spout

## DUCALE SINGLE LEVER MIXER FIXED SHOWER

Modern single lever fixed shower, having the same specifications as Ducale mixer tap. Requires Helena chrome shower hose and head kit supplied separately.

- DLT4510C** Ducale shower mixer, chrome, 3/8" BSP male connection
- DLT4510SC** Ducale shower mixer, satin chrome, 3/8" BSP male connection
- DLT2940C** HELENA chrome showerhead, shower rail, soap dish & 1.5m chrome hose with 3/8" female connector to valve.

## CONCEALED THERMOSTATIC SHOWER MIXER

Our Concealed Thermostatic Shower Mixer is safe for all the family to use, there is a temperature override button set at 38 degrees centigrade that makes it difficult for young children to select the highest temperatures.

All of our taps and showers are manufactured from high quality Brass the finish of the product is polished Chrome which is of a very high standard. The TMV valve incorporates 180° ceramic disc headwork for utmost reliability.

Our thermostatic showers operate at their best with a hot and cold water pressure of 1.0 bar minimum pressure and above. Please ensure your chosen pump is powerful enough to allow the shower to work efficiently. We recommend use of a Shurflo or Whale universal diaphragm pump at 30psi.

Installation holes for thermostatic mixer valve & flow control valve are 28mmØ and 42mm Ø at 70mm centres, wall thickness up to 15mm. Water connections 1/2" BSP male threads.

- DLT701703** Concealed Thermostatic Shower Mixer Chrome.



DLT5729

DLT575



DLT557MN



DLT4343C



DLT4213C



DLT4502C/DLT2771C




DLT4510C



DLT2940C



DLT701703



### MINIMAL SINGLE LEVER KITCHEN TAP

High spec domestic style chrome single lever mixer tap with swiveling spout and ceramic valves. Base plate size 43 mmØ. Installation hole is 30mmØ. Connections 3/8" BSP male flexi tails. Suitable for use on pressurised water systems only.

**DST3010C** MINIMAL SINGLE LEVER KITCHEN MIXER CHROME

### MINIMAL SINGLE LEVER SHORT TAP

Quality chromed single lever mixer tap with spout and ceramic valves. Base plate size 31 mmØ, Installation hole is 25 mmØ. Spout length 140mm end to ctr of tap. Connections 3/8" BSP male flexi tails. Suitable for use on pressurised water systems only.

**DST3030C** MINIMAL SINGLE LEVER MIXER SHORT CHROME

### MINIMAL SINGLE LEVER SHOWER MIXER

Thru counter single lever mixer shower control with ceramic valve.. 3 connections, Hot/Cold in and Mixed out use 3/8" BSP male flexi tails. Suitable for use on pressurised water systems only. Use thru wall connection (**DLTSWC** pictured page 29) to connect mixer to suitable shower hose and head set.

**DST3050C** MINIMAL SINGLE LEVER SHOWER MIXER

**DLTSWC** THRU WALL WATER CONNECTION FOR SHOWERS (See Page 29)

### ESSENCE RANGE OF TAPS SHOWERS & ACCESSORIES

#### Essence - Big on style small on size

New small footprint tap range with the 'essence' of design. Quality chromed brass domestic style single lever mixers for Kitchen, Basin or shower. Available with a matching range of accessories.

Single lever chrome mixer with long swiveling spout. Base plate size 43 mmØ, Installation hole is 25 mmØ. Connections 3/8" BSP male flexi tails. Suitable for pressurised water systems only. Spout length 190mm.

**DST8010C** ESSENCE SINGLE LEVER MIXER LONG CHROME

Single lever chrome mixer with short spout. Base plate size 32 mmØ, Installation hole is 25 mmØ. Connections 3/8" BSP male flexi tails. Suitable for pressurised water systems only. 120mm spout.

**DST8030C** ESSENCE SINGLE LEVER MIXER SHORT CHROME

Tall single lever chrome mixer with short swiveling spout. Ideal for the kitchen tap is 225mm high. Base plate size 32 mmØ. Installation hole is 25 mmØ. Spout 135mm. Connections 3/8" BSP male flexi tails. Suitable for pressurised water systems only.

**DST8035C** ESSENCE TALL SINGLE LEVER MIXER SHORT

Matching single lever chrome shower mixer control. With 3/8" BSP connection for shower hose. Base plate size 32mmØ, Installation hole is 25 mmØ. Connections 3/8" BSP male flexi tails. Suitable for pressurised water systems only. Any of our other shower kits will fit this 3/8" BSP connection.

**DST8050C** ESSENCE SINGLE LEVER SHOWER MIXER

**DLTSK8115CS** MINIMA SHOWER KIT & RISER BAR CHROME AND SATIN CHROME (See Page 32)

### ESSENCE ACCESSORIES

A range of matching Essence accessories are available on our website or ask for the supplementary leaflet.

### MARIN MINIMAL ACCESSORIES

Range of matching Marin Minimal accessories of reduced size perfectly suited to accessorise any bathroom with style.

**DST35050005C** MARIN BATHROOM GLASS AND HOLDER CHROME

**DST35100010C** MARIN SOAP DISH AND HOLDER CHROME

**DST355050C** MARIN PUMP SOAP DISPENSER & HOLDER CHROME

**DST3515C** MARIN DOUBLE COAT HOOK CHROME

**DST3535C** MARIN TOILET ROLL HOLDER CHROME

**DST3525C** MARIN 30CM TOWEL RAIL CHROME

Wall mounted toilet brush holder with specially developed shaped rubber brush for effective cleaning while providing long lasting service.

**DST3540C** MARIN TOILET BRUSH & HOLDER CHROME



**DST3010C**



**DST3030C**



**DST8010C**



**DST3050C**



**DST8030C**



**DST8035C**



**DST8050C**



**DST3515C**



**DST35100010C**



**DST3525C**



**DST3535C**



**DST355050C**



**DST3540C**

On 3/8" BSP flexi tails use BRF3812 brass female barbs to connect 1/2" PVC hose, or CM451213FS to connect to 12mm push fit plumbing.

**WE NOW OFFER INSTALLATION SERVICE**



**0844 414 2324**



**0844 414 2425**



# ULTIMATE TAPS & SHOWERS



Only top quality materials are used in our ultimate taps. Materials which take the stresses and strains of a long product life.

### WAVE SWAN SINGLE LEVER MIXER TAP

Stylish 'wave' shaped control lever high quality chromed brass single lever mixer tap. Heavy gauge chromed brass for long lasting style and ceramic cartridge for reliability. Swan neck faucet swivels 360°. Base plate size 50 mmØ, Installation hole is 35 mmØ. Spout length 170mm from centre of installation hole. Connections 3/8" BSP male flexi tails. Suitable for pressurised water systems only.

**DLTWSMC** WAVE SWAN SINGLE LEVER MIXER TAP



**DLTWSMC**



**DLTWBSNC**

### WAVE SWAN BASIN SINGLE LEVER MIXER

A new addition to our stylish 'wave' range the basin tap is a single lever design with ceramic cartridge valve.

Base plate size 56 mmØ, Installation hole is 35 mmØ. Spout length 130mm from centre of installation hole. Connections 3/8" BSP male flexi tails. Suitable for pressurised water systems only.

**DLTWBSNC** WAVE SWAN BASIN SINGLE LEVER MIXER TAP

### SINGLE LEVER MIXER PULL OUT SHOWER

Streamlined design chromed brass body with ceramic cartridge valves. Pull out chromed shower head with push button adjustable spray head (chrome) and 1.8 metre chrome hose. Base plate size 55 mmØ, Installation hole is 35 mmØ. Connections 3/8" BSP male flexi tails. Suitable for pressurised water systems only.

**DLTLPSC** SINGLE LEVER MIXER PULL OUT CHROME SHOWER



**DLTLPSC**



**DLT3470C/DLT3481C**

### SINGLE LEVER MIXER TAP

Very smart single lever tap with ceramic cartridge for quality and reliability with ease of use. Chromed brass body for quality and long life. Long and short spout available as well as basin design. Base plate size 45 mmØ, Installation hole is 32mmØ. Spout length from centre of installation hole: **DLT3451C** short 150mm, **DLT3470C** Medium 190mm, **DLT3471C** Medium 190mm, **DLT3481C** long 240mm, **DLT3831C** basin 110mm.

Connections 3/8" BSP male flexi tails. Suitable for pressurised water systems only.

- DLT3451C** LUX SINGLE LEVER MIXER TAP SHORT 150mm SPOUT
- DLT3470C** SINGLE LEVER MIXER TAP MEDIUM 190mm SPOUT
- DLT3471C** LUX SINGLE LEVER MIXER TAP MEDIUM 190mm SPOUT
- DLT3481C** SINGLE LEVER MIXER TAP LONG 240mm SPOUT
- DLT3831C** LUX SINGLE LEVER BASIN MIXER CHROME



**DLT3661C**



**DLT3451C/DLT3471C**

### SINGLE LEVER MIXER SHOWER CONTROL

Modern single lever fixed shower, having the same specifications as Lux mixer tap. High quality chromed brass construction. Requires Helena or Minimal chrome shower hose and head kit supplied separately.

Base plate size 45 mmØ, Installation hole is 32 mmØ. Connections 3/8" BSP male flexi tails. Suitable for pressurised water systems only.

- DLT3660C** SINGLE LEVER SHOWER CONTROL
- DLT3661C** LUX SINGLE LEVER SHOWER CONTROL

### TETRA MONOBLOC MIXER

Quality chromed brass domestic style monobloc mixer with swiveling spout. Base plate size 45 mmØ, Installation hole is 25 mmØ. Connections 3/8" BSP male flexi tails. Suitable for pressurised water systems only.

**DLTTMC** TETRA MONOBLOC CHROME MIXER



**DLTTMC**

### SHOWER KIT MINIMA

Chrome Shower head with flexible jets to prevent the buildup of limescale. Chrome hose is 150cm long combined with Minimal styled riser bar. 3/8" BSP female connection.

- DLTSK8115C** MINIMA SHOWER KIT WITH RISER BAR CHROME
- DLTSK8115CS** MINIMA SHOWER KIT WITH RISER BAR SATIN CHROME



**DLTSHC**



**DLTSBC**

### SHOWER WALL BRACKET

Wall mounting bracket for locating shower head on wall. Available in 2 versions. SHC manufactured in chromed ABS, SBC MADE FROM CHROMED BRASS

- DLTSHC** FIXED WALL BRACKET FOR SHOWER HEAD
- DLTSBC** ADJUSTABLE ANGLE WALL BRACKET FOR SHOWER HEAD

### COMPACT PULL OUT SHOWER SINGLE LEVER MIXER TAP

Smart styled single lever ceramic cartridge mixer pullout shower tap with trigger shower handset. Simply squeeze the trigger for water to flow as and when you require or flip up the lever to lock at 90 degrees and the water is fully on. Connections 3/8" BSP male flexi tails. Suitable for pressurised water systems only. Spout length 135mm approx.

**DLT3400C** SINGLE LEVER MIXER PULL OUT CHROME SHOWER



**DLTSK8115C**



**DLT3400C**

### CHROME TOWEL RAIL


Smart high quality chromed brass towel rail 310mm overall length

**DLTTRL** CHROMED BRASS TOWEL RAIL 310mm



**DLTTRL**

On 3/8" BSP flexi tails use BRF3812 brass female barbs to connect 1/2" PVC hose, or CM451213FS to connect to 12mm push fit plumbing.



# ULTIMATE TAPS & SHOWERS



Only top quality materials are used in our ultimate taps. Materials which take the stresses and strains of a long product life.

### FLIP CHROME FOLDING MIXER

The Flip folding faucet mixer tap is elegant and modern in style. Produced from heavy gauge chromed brass for long lasting reliability. Installation hole is 29mmØ. Connections 3/8" BSP male flexi tails. Suitable for pressurised water systems only. Suitable for installation in SMEV folding glass sinks. Tap is 44mm high when folded.

**DLTFLIP** FLIP CHROME FOLDING MIXER



**DLTFLIP**



**DLTMMC**

### MARINE FOLDING SINGLE TAP

Marine high quality chromed brass single tap. Heavy gauge chromed brass for long lasting style. Installation hole is 16mmØ. Spout length 140mm from centre of installation hole. Connection 3/8" BSP male thread. Suitable for pressurised water systems only. Suitable for installation in SMEV folding glass sinks. Tap is 39mm high when folded

**DLTMSC** MARINE SINGLE CHROME TAP



**DLTMSC**



**DLTLPM**

### MARINE FOLDING MIXER TAP

Marine high quality chromed brass mixer tap. Heavy gauge chromed brass finish complements the design. Installation holes 2 x 16 mmØ at 60mm centres. Spout length 140mm from centre of installation hole. Connections 2 x 3/8" BSP male thread. Suitable for pressurised water systems only. Suitable for installation in SMEV folding glass sinks. Tap is 39mm high when folded

**DLTMMC** MARINE MIXER CHROME TAP

### STYLE SINGLE LEVER MIXER TAP

Very smart single lever tap with ceramic cartridge for quality and reliability with ease of use. Chromed brass body for quality and long life. Installation hole is 26 mmØ. Spout length 140 mm from centre of installation hole. Connections 3/8" BSP male flexi tails. Suitable for pressurised water systems only. Suitable for installation in SMEV folding glass sinks. Tap is 37mm high when folded

**DLTSTMIN** STYLE SINGLE LEVER MIXER



**DLTSTMIN**



**DLTCSMC**

### LUX SINGLE LEVER PILLAR MIXER

Chrome single lever mixer with curved faucet, which swivels 360°, and ceramic cartridge valves for smooth operation. Base plate size 50 mmØ, Installation hole is 35 mmØ. Spout length 175 mm from centre of installation hole. Connections 3/8" BSP male flexi tails. Suitable for pressurised water systems only.

**DLTLPM** LUX CHROME PILLAR MIXER

### SINGLE PILLAR TAP

Smart design chromed brass body with 360° swivel faucet. Reliable and easy to install cold tap. Base plate size 38 mmØ, Installation hole is 20 mmØ. Connection 1/2" BSP male flexi tails. Suitable for pressurised water systems only.

**DLTPTC** PILLAR SINGLE CHROME TAP



**DLTPTC**



**DLTCSMC**

### COMPACT SINGLE TAP

Simple compact design chromed brass body single tap with folding spout. Reliable and easy to install cold tap. Base plate size 28 mmØ, Installation hole is 16 mmØ. Connections 3/8" BSP male inlet. Suitable for pressurised water systems only.

**DLTCSMC** COMPACT SINGLE CHROME TAP

### COMPACT MIXER TAP

Simple compact design chromed brass body mixer tap with folding spout. Reliable and easy to install mixer tap. Base plate 2 x 28mmØ at 86mm centres, Installation holes are 2 x 16mmØ. Connections 3/8" BSP male inlets. Suitable for pressurised water systems only.

**DLTCMC** COMPACT MIXER CHROME TAP



**DLTCMC**



**DLTSH1501212C**

### COMPACT MIXER SHOWER TAP

Simple compact design chromed brass body mixer shower tap with 3/8" BSP shower connection. Requires Helena or Minima chrome shower hose and head kit supplied separately. Or add a **DLTSH150GN** hose from below and a trigger handset for a simple controllable shower. Reliable and easy to install shower tap. Base plate 2 x 28mm at 86mm centres, Installation holes are 2 x 16mmØ. Connections 3/8" BSP male inlets. Suitable for pressurised water systems only.

**DLTCSMC** COMPACT SHOWER MIXER CHROME

### GREY NYLON SHOWER HOSE

Good quality flexible grey nylon shower hoses with chrome end connections.

**DLTSH150GN** GREY SHOWER HOSE 150CM 1/2" C & 3/8" Fem chrome ends

**DLTSH2350GN** GREY SHOWER HOSE 200CM 3/8" Fem & 15/1 Male Chrome ends

### CHROME SHOWER HOSE

Good quality flexible chrome shower hoses with chrome end connections.

**DLTSH1501212C** CHROME SHOWER HOSE 150CM 1/2" C Fem & 1/2" Female chrome ends

**DLTSH2001212C** CHROME SHOWER HOSE 150CM 1/2" C Fem & 1/2" Female chrome ends



**DLTSH150GN**



**DLTSH2350GN**

### SPARE FLEXIBLE TAP TAILS

**DLTTL20** SPARE 20CM TAIL STEEL BRAIDED 3/8BSP MALE.

**DLTTL40** SPARE 40CM TAIL STEEL BRAIDED 3/8BSP MALE.

On 3/8" BSP flexi tails use BRF3812 brass female bars to connect to 1/2" PVC hose, or CM451213FS to connect to 12mm push fit plumbing.



0844 414 2324



0844 414 2425